Date:

Wednesday, 5/10/2006 9:19:53 AM

User:

Kim Johnston

Process Sheet

Drawing Name

Part Number

Material

Drawing Number

Project Number

Drawing Revision

Customer

: CU-DAR001 Dart Helicopters Services

Type

Job Number **Estimate Number** : 27049B

: 10193

P.O. Number

: NA

This Issue Prsht Rev.

: 5/10/2006

: NIA First Issue : 27048B

Previous Run

Written By

Checked & Approved By

Comment RF

Added D2012-117 for D130-701-041

S.O. No. : N/A

Est Rev:N 06.04.05 Added level21

: LARGE FAB ASSY

EC

Due Date

: N/A : 5/30/2006

: D2512

: N/A

: D2

: D2512 REV D2

: 350/212/130 BASKET LID

Each

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description: 304 SQ Tube.75x.75x.065W

1.0

2.0

M304TS0750W065

Comment: Qty.: 45.7594 f(s)/Unit Total: 45.7594 f(s)

Pick:

3/4"x3/4"_304/316_SS_tube_063" wall_ 19100783 185450

Basket Hoop

1.0000 Each(s)

Comment: Qty.: 1.0000 Each(s)/Unit Pick:

Total:

Batch

Qty Part Number 1 D3166-3

Basket Hoop

Description

R25896

D2506 3.0

Placard



Comment: Qtv.:

1.0000 Each(s)/Unit Total:

1.0000 Each(s)

Pick:

Qty Part Number

Description

Batch

1 D2506

Label Plate

B26631

4.0

D23271

Spacer Bushing



Comment: Qty.:

2.0000 Each(s)/Unit Total: 2.0000 Each(s)

Pick:

Qty Part Number

Description

Batch

2 D2327-1

Bushing

B26742

\$ 06/05/24

M 06/05/24

Dart Aerospace Ltd

| W/O: | | WORK ORDER CHANGES | | | | | | | | |
|------|------|--------------------|----|------|-----|---------------------------------|--------------------------|--|--|--|
| DATE | STEP | PROCEDURE CHANGE | Ву | Date | Qty | Approval Mfg / Design Mgr | Approval QC Inspector | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | |
|------|------|----------------------------------|-----------------------|--------------------------------|----------------|--------------|------------------------|--------------------------|--|--|
| | | Description of NC | | Corrective Action Section B | | Verification | Approval Design Mgr | Approval QC Inspector | | |
| DATE | STEP | STEP Section A | Initial Design Mgr | Action Description Design Mgr | Sign & Date | Section C | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| L | | | | | | | <u> </u> | Ī | | |

| Part No: | PAR #: | Fault Category: | NCR: | Yes | No | DQA: | Date: |
|----------------------------------|--------|-----------------|------|-------|-------|-------|-------|
| NOTE: Date & initial all entries | | | | QA: N | 1/C C | osed: | Date: |

Date: Wednesday, 5/10/2006 9:19:53 AM User: Kim Johnston **Process Sheet** Drawing Name: 350/212/130 BASKET LID Customer: CU-DAR001 Dart Helicopters Services Job Number: 27049B Part Number: D2512 Job Number: Machine Or Operation: Seq. #: Description: Hinge 5.0 D22321 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description Batch 106/05/24 2 D2232-1 Hinge plate Mounting Bracket 6.0 D2581 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description Batch 1 06/05/24 Mounting Bracket R 26204 2 D2581 M304EX07516F 7.0 Expanded Metal Flat Stai Comment: Qty.: 18.0000 sf(s)/Unit Total: 18.0000 sf(s) Pick: **Qty Part Number** Description Batch 100/05/24 18 sf M304EX0.75-16F Expanded Metal 8.0 LARGE FAB 1 LARGE FABRICATION RESOURCE 1 **Comment: LARGE FABRICATION RESOURCE 1** 1-Cut 3/4" x 3/4" square tubing as per Dwg D2512 2-Cut (4) D2236 From D3166-3 M 06/05/24 3-Drill holes in D2512-1 as per Dwg D2512 using Drill Jig DT8305 4/D2012-117 is included in D2172-041 EC/130 Basker Base BOM. 5-Weld as per Dwg D2512 using Welding Table and corner Jig Deburr as required

Dart Aerospace Ltd

| W/O: | | WORK ORDER CHANGES | W/O: WORK ORDER CHANGES | | | | |
|------|------|--------------------|-------------------------|------|-----|---------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | Ву | Date | Qty | Approval Mfg / Design Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | : |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | |
|------|------|----------------------------------|-----------------------|--------------------------------|---------------------------------------|--------------|------------------------|--------------------------|--|--|
| | | Description of NC | | Corrective Action Section B | · · · · · · · · · · · · · · · · · · · | Verification | Approval Design Mgr | Approval QC Inspector | | |
| DATE | STEP | Section A | Initial Design Mgr | Action Description Design Mgr | Sign & Date | Section C | | | | |
| | | | | | | | | | | |
| | | | | 20 | | | | | | |
| | | | | | | | | | | |
| | | | | <i>y.</i> | | | | | | |
| | | | | | | | | | | |
| | | | | - T - | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| Part No: | PAR #: | Fault Category: | _ NCR: | Yes No DQA: | Date: <u>6</u> 6/06/0 |
|----------------------------------|--------|-----------------|--------|-----------------|-----------------------|
| NOTE: Date & initial all entries | | | 17 | QA: N/C Closed: | Date: |

Date: Wednesday, 5/10/2006 9:19:53 AM User: Kim Johnston **Process Sheet** Drawing Name: 350/212/130 BASKET LID Customer: CU-DAR001 Dart Helicopters Services Job Number: 27049B Part Number: D2512 Job Number: Description: Seq. #: **Machine Or Operation:** DDIMENSIONAL & WELDING INSPECTION QC9/6 9.0 Comment: DDIMENSIONAL & WELDING INSPECTION 10.0 POWDER COATING Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 HAND FINISHING RESOURCE #1 11.0 HAND FINISHING1 Comment: HAND FINISHING RESOURCE #1 Wing Walk and Spray Paint black as per Dwg D2512 and QSI 005 4.4 Batch: M 10065 2 12.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 13.0 Comment: PACKAGING RESOURCE #1 Location: DOCUMENT CONTROL 14.0 DC Comment: DOCUMENT CONT Inspection Level 21 Job Completion

Dart Aerospace Ltd

| W/O: | | | WORK ORDER CHANGES | | | | | | | | |
|------|------|--|--------------------|------|-----|---------------------------------|--------------------------|---|--|--|--|
| DATE | STEP | | Ву | Date | Qty | Approval Mfg / Design Mgr | Approval QC Inspector | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | a. | | | | | |
| | | | | | | | | } | | | |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | | | |
|------|------|----------------------------------|-----------------------|--------------------------------|----------------|---------------------------|------------------------|--------------------------|--|--|
| | | Description of NC | | Corrective Action Section B | | | Annroyal | Approval | | |
| DATE | STEP | Section A | Initial Design Mgr | Action Description Design Mgr | Sign & Date | Verification Section C | Approval Design Mgr | Approval QC Inspector | | |
| | | | | | | - 0 = | | | | |
| | | | | | | | | | | |
| | | | | • | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | 9 | | | | | | |
| | | | | | | | | | | |

| Part No: | PAR #: | Fault Category: | NCR: | Yes | No | DQA: | Date: |
|----------------------------------|--------|-----------------|------|-------|------|--------|-------|
| NOTE: Date & initial all entries | | | | QA: N | /c c | losed: | Date: |






| DESIGN E | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA |
|-------------|----------|--|
| CHECKED | APPROVED | DRAWING NO. REV. D D2512 SHEET 1 OF 4 |
| DATE 01.04. | 19 | TITLE SCALE BASKET LID ASSEMBLY (350/212) NTS |
| Α | 95.11.21 | NEW ISSUE |
| В | 96.05.24 | ADDED LATCH CHANNEL & LABEL PLATE |
| | | |

RELEASED

| | | | 4 | U2312 |
|----|------|---|-----------|--|
| | DATE | 7.11 | 1 | TITLE SCALE |
| | 01.0 | 4.19 | | BASKET LID ASSEMBLY (350/212) NTS |
| | Α | | 95.11.21 | NEW ISSUE |
| | В | | 96.05.24 | ADDED LATCH CHANNEL & LABEL PLATE |
| | С | *************************************** | 99.07.06 | REMOVE DOUBLE SKIN SECTION, ADDED MEMBERS, INCORP. DEO 9074 |
| | D | | 01.04.19 | CHANGE HINGE |
| | DI | d 40 | 03 01. 20 | ADD 02012-117 FOR D130-701-041 |
| | 02 | that? | 04,69.20 | TAKK WELD ANT-JIKID AREA |
| _, | ~ C | DOE 10 | DACKET | LID ASSEMBLY |

PARTS LIST FOR D2512 BASKET LID ASSEMBLY

| PART NO | QUANTITY | LENGTH | LENGTH | DESCRIPTION |
|---------|----------|--------|--------|---------------|
| | | Α | В | |
| D2512-1 | 2 | | 25.50 | RIB |
| D2512-3 | 2 | | 95.30 | RIB |
| D2512-5 | 6 | 30.84 | | RIB |
| D2512-7 | | 30.63 | | RIB |
| D2232-1 | 2 | N/A | N/A | HINGE PLATE |
| D2236 | 4 | N/A | N/A | RIB |
| D2327-1 | 2 | N/A | N/A | BUSHING |
| D2506 | 1 | N/A | N/A | LABEL PLATE |
| D2581 | 2 | N/A | N/A | MOUNTING BRKT |



SHOP COPY RETURN TO ENGINEERING

UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE


WORK ORDER


D2512-1/-3/-5/-7 CUT LENGTH/SHAPE PER DIAGRAM AND PARTS LIST MATERIAL: AISI 304/316 SS, 3/4 X 3/4 X 0.060 WALL SQUARE TUBING TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED ALL DIMENSIONS ARE IN INCHES

Copyright © 1995 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


| • | | | |
|-------------------------|---------------------|----|---|
| | | | |
| | | | |
| | | | |
| | | | |
| 1. 1 | | | |
| | δ_{ijk} | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | T | | |
| | | | |
| 8 | | | |
| \$ 1. \$ 1. \$ 1. | | | • |
| | A to the collection | ¥. | |








| DESIGN BW | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
|--------------|----------|---|--------|
| CHECKED | APPROVED | DRAWING NO. D2512 SHEET | REV. D |
| DATE | | ΤΠΙΕ | SCALE |
| 01.04.19 | | BASKET LID ASSEMBLY (350/212) | 1:8 |




DRILL 3/8 HOLE AND INSTALL D2327-1 USING CLOSEST SPACE IN EXPANDED METAL FOR HOLE LOCATION BOTH ENDS

SECTION C-C SIMILIAR BOTH END RIBS



DETAIL E



SECTION D-D SAME BOTH CENTER RIBS

SHOP COPY RETURN TO

Copyright © 1995 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.